

W2017020601

/

1

2

3

4

5

48

6

:

0898-88382756

0898-88380003

2

5

1

| | | | | |
|----|----|-------------------|---------|---|
| | | | | |
| 1 | | GB/T5750. 12-2006 | 2. 3 | |
| 2 | | GB/T5750. 12-2006 | 1. 1 | |
| 3 | | GB/T5750. 12-2006 | 2. 3 | |
| 4 | | GB/T5750. 12-2006 | 4. 3 | |
| 5 | | GB/T5750. 6-2006 | 6. 1 | |
| 6 | | GB/T5750. 6-2006 | 9. 1 | |
| 7 | | GB/T5750. 6-2006 | 10. 1 | |
| 8 | | GB/T5750. 6-2006 | 11. 1 | |
| 9 | | GB/T5750. 6-2006 | 8. 1 | |
| 10 | | GB/T5750. 6-2006 | 7. 3 | |
| 11 | | GB/T5750. 5-2006 | 4. 2 | - |
| 12 | | GB/T5750. 5-2006 | 3. 2 | |
| 13 | | GB/T5750. 5-2006 | 5. 3 | |
| 14 | | GB/T5750. 4-2006 | 1. 1 | - |
| 15 | | GB/T5750. 4-2006 | 2. 1 | - |
| 16 | | GB/T5750. 4-2006 | 3. 1 | |
| 17 | | GB/T5750. 4-2006 | 4. 1 | |
| 18 | PH | GB/T5750. 4-2006 | 5. 1 | |
| 19 | | GB/T5750. 6-2006 | 1. 1 | S |
| 20 | | GB/T5750. 6-2006 | 2. 2 | |
| 21 | | GB/T5750. 6-2006 | 3. 2 | |
| 22 | | GB/T5750. 6-2006 | 4. 2. 1 | |

1

| | | GB3838-2002 () | |
|----|----|------------------|-----------|
| | | () | W17020601 |
| 1 | | (MPN/100mL) | 613.1 |
| 2 | | (CFU/mL) | 92 |
| 3 | | 1000 (MPN/100mL) | 78.2 |
| 4 | | (MPN/100mL) | |
| 5 | | 0.05 (/L) | 0.0002 |
| 6 | | 0.005 (/L) | <0.0005 |
| 7 | | 0.05 (/L) | 0.013 |
| 8 | | 0.05 (/L) | <0.0025 |
| 9 | | 0.0001 (/L) | <0.0001 |
| 10 | | 0.01 (/L) | <0.0002 |
| 11 | | 0.2 (/L) | <0.002 |
| 12 | | 1.0 (/L) | 0.12 |
| 13 | | 10 (/L) | 0.43 |
| 14 | | | 10 |
| 15 | | NTU | 1.32 |
| 16 | | | 0 |
| 17 | | / | |
| 18 | PH | 6-9 | 7.24 |
| 19 | | /L | 0.013 |
| 20 | | 0.3 (/L) | 0.06 |
| 21 | | 0.1 (/L) | 0.08 |
| 22 | | 1.0 (/L) | <0.2 |
| 23 | | 1.0 (/L) | <0.05 |
| 24 | | 250 (/L) | 5.24 |
| 25 | | 250 (/L) | 2.99 |
| 26 | | (/L) | 58 |
| 27 | | (/L) | 25.0 |
| 28 | | 6 (/L) | 1.20 |
| 29 | | 0.005 (/L) | <0.002 |
| 30 | | 0.2 (/L) | 0.06 |
| 31 | | () | 25 |
| 32 | | 1.0 (/L) | 0.02 |
| 33 | | 1 (/L) | |
| 34 | | 0.06 (/L) | <0.0002 |
| 35 | | 0.002 (/L) | <0.0001 |