

W2017060501

/

---

---

---

1

2

3

4

5

48

6

:

---

0898-88382756

0898-88380003

2

5

		/	
			0898-88812752
		/	2017.6.5

1

2017 6 15

1

GB3838-2002

3 5

# 1

1		GB/T5750. 12-2006	2. 3	
2		GB/T5750. 12-2006	1. 1	
3		GB/T5750. 12-2006	2. 3	
4		GB/T5750. 12-2006	4. 3	
5		GB/T5750. 6-2006	6. 1	
6		GB/T5750. 6-2006	9. 1	
7		GB/T5750. 6-2006	10. 1	
8		GB/T5750. 6-2006	11. 1	
9		GB/T5750. 6-2006	8. 1	
10		GB/T5750. 6-2006	7. 3	
11		GB/T5750. 5-2006	4. 2	-
12		GB/T5750. 5-2006	3. 2	
13		GB/T5750. 5-2006	5. 3	
14		GB/T5750. 4-2006	1. 1	-
15		GB/T5750. 4-2006	2. 1	-
16		GB/T5750. 4-2006	3. 1	
17		GB/T5750. 4-2006	4. 1	
18	PH	GB/T5750. 4-2006	5. 1	
19		GB/T5750. 6-2006	1. 1	S
20		GB/T5750. 6-2006	2. 2	
21		GB/T5750. 6-2006	3. 2	
22		GB/T5750. 6-2006	4. 2. 1	
23		GB/T5750. 6-2006	5. 1	
24		GB/T5750. 5-2006	2. 2	
25		GB/T5750. 5-2006	1. 2	
26		GB/T5750. 4-2006	8. 1	
27		GB/T5750. 4-2006	7. 1	
28		GB/T5750. 7-2006	1. 1	
29		GB/T5750. 4-2006	9. 1	4-
30		GB/T5750. 4-2006	10. 2	
31		GB/T5750. 5-2006	9. 1	
32				
33				
34		GB/T 5750. 8 2006	1. 2	
35		GB/T 5750. 8 2006	1. 2	

## 1

		GB3838-2002 ( )	
		( )	W17060501
1		(MPN/100mL)	394.5
2		(CFU/mL)	$1.2 \times 10^2$
3		1000 (MPN/100mL)	88.5
4		(MPN/100mL)	
5		0.05 ( /L)	0.0004
6		0.005 ( /L)	<0.0005
7		0.05 ( /L)	0.016
8		0.05 ( /L)	<0.0025
9		0.0001 ( /L)	<0.0001
10		0.01 ( /L)	<0.0002
11		0.2 ( /L)	<0.002
12		1.0 ( /L)	0.28
13		10 ( /L)	0.07
14			10
15		NTU	2.51
16			0
17		/	
18	PH	6-9	7.35
19		/L	0.018
20		0.3 ( /L)	0.15
21		0.1 ( /L)	0.27
22		1.0 ( /L)	<0.2
23		1.0 ( /L)	<0.05
24		250 ( /L)	6.15
25		250 ( /L)	4.90
26		( /L)	61
27		( /L)	33.0
28		6 ( /L)	2.40
29		0.005 ( /L)	<0.002
30		0.2 ( /L)	0.07
31		( )	25
32		1.0 ( /L)	0.10
33		1 ( /L)	
34		0.06 ( /L)	<0.0002
35		0.002 ( /L)	<0.0001