

2022 7 10
2022 7 10

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
|-------------|----|-------|---|---|----|------|------|--------|--------|------|------|--------|--|
| | | | | | | PH | | | | | | | |
| | | NTU | | | | PH | mg/L | CFU/mL | CFU/mL | mg/L | mg/L | CFU/mL | |
| | 15 | 15.40 | 0 | | 28 | 7.72 | 1.76 | - | - | 0.04 | - | - | |
| | <5 | 0.14 | 0 | | 28 | 7.89 | 0.96 | - | - | - | 0.26 | - | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| GB5749-2006 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |